

№	Name	dosage / volume / unit of measurement	unit of measurement
1	Atropine	injection: 1 mg (sulphate) in ampoules of 1 ml	amp
2	Heparin sodium	injections: 5000 IU / ml	vials
3	Hydroxyethylstarch	6% infusion solution (60 mg / ml)	ml
4	Hydroxyethylstarch	10% solution for infusion (100 mg / ml)	ml
5	Dexamethasone	injection: 4 mg / ml 1 ml in ampoules (as disodium phosphate salt)	amp
6	Diazepam	injections: 5 mg / ml	amp
7	Dopamine	injection: 40 mg / ml (hydrochloride) 5 ml in ampoules	amp
8	(Epinephrine /Adrenaline)	injection: 1 mg (as hydrochloride and hydrotartrate) 1 ml in ampoules, corresponding to 1.82 mg of adrenaline tartrate in 1 ml	amp
9	(Ethanol)	solution: 70% (denatured)	ml
10	(Isosorbide dinitrate)	solution for infusion: 1 mg / ml	amp
11	(Insulin injection (fast-acting))	injection: 40 IU / ml in 10 ml vials	vials
12	(Insulin injection (fast-acting))	injections of 100 IU / ml in 5 ml; 10 ml in a bottle	vials
13	Sodium lactate), complex solution of Sodium chloride + Potassium chloride + Calcium chloride + Sodium lactate)	injection of 100 U / ml and 5 ml; 10 ml in a bottle	ml

14	(Mannitol)	solution for infusion: 15% 100 ml, 200 ml, 400 ml in bottles, 100 ml, 250 ml, 500 ml in containers	ml
15	(Naloxone)	injection: 400 mcg (hydrochloride) 1 ml in ampoules	amp
16	Sodium hydrogen carbonate)	injection: 1,4 % - 8,4 %	ml
17	Sodium chloride)	solution for injection / infusion: 0.9% isotonic (equivalent to Na + 154 mmol / l, Cl - 154 mmol / l)	ml
18	Complex solution of Sodium chloride + Potassium chloride + Calcium chloride	solution for infusion	ml
19	Neostigmine	injections: 0.5 mg / ml in 1 ml ampoules	amp
20	Neostigmine	injections of 2.5 mg (methyl sulfate) in 1 ml ampoules	amp
21	Ondansetron)	injection: 2 mg / ml 2 ml in ampoules (as hydrochloride)	amp
22	Ondansetron)	injection of 2 mg / ml 4 ml in ampoules (as hydrochloride)	amp
23	(Povidone-iodine)	solution: 10% (equivalent to 1% active iodine)	ml
24	(Salbutamol)	metered dose inhaler (aerosol): 100 mcg (as sulfate) per 1 dose	vials
25	(Furosemide)	injections: 10 mg / ml in 2 ml ampoules	amp
26	(Chlorhexidine)	solution: 0.05% (bigluconate)	ml

27	(Tranexamic acid)	injection: 50 mg / ml in an ampoule	amp
28	(Tranexamic acid)	100 mg / ml in ampoules	amp
29	(Fresh-frozen plasma)	doses	doses
30	Red blood cells)	doses	doses
31	Cryoprecipitate	doses	doses
32	(Oxygen)	gas (liquid)	tons
33	(Oxygen)	gas	liters
34	(Sevoflurane)	liquid for inhalation	vials
35	(Ketamine)	injections: 50 mg / ml 2 ml	amp
36	(Ketamine)	injections: 50 mg / ml 10 ml	amp
37	(Ketamine)	injections: 10 mg / ml 10 ml	amp
38	(Ketamine)	injections: 10 mg / ml 50 ml	vials
39	(Propofol)	injections: 10 mg / ml 100 ml	vials
40	(Propofol)	injections: 20 mg / ml	vials
41	(Thiopental)	injections: 0.5 g	vials
42	(Thiopental)	injections: 1 g	vials
43	(Bupivacaine)	injections: 5 mg / ml 4 ml	amp
44	(Bupivacaine)	injections: 5 mg / ml 5 ml	amp
45	(Bupivacaine)	injections: 5 mg / ml 10 ml	amp
46	(Bupivacaine)	injections: 5 mg / ml 20 ml	amp
47	(Bupivacaine)	injections: 2.5 mg / ml in 20 ml	amp
48	(Bupivacaine)	injections: 2.5 mg / ml in 200 ml	vials
49	(Bupivacaine)	0.5% (hydrochloride) 4 ml in ampoules	amp
50	(Lidocaine)	injection: 1% 2 ml in ampoules	amp
51	(Lidocaine)	2% injection (hydrochloride) of 2 ml in ampoules	amp

52	(Lidocaine)	5% (hydrochloride) 2 ml in ampoules	amp
53	(Morphine)	injection: 10 mg (sulphate or hydrochloride) 1 ml in ampoules	amp
54	(Fentanyl)*	solution for injection: 0.05 mg / ml in 2 ml ampoules	amp
55	(Acetylcysteine)	injections: 100 mg / ml 3 ml in ampoules	amp
56	(Acetylcysteine)	injections: 200 mg / ml in 10 ml ampoules	amp
57	Amoxicillin + Clavulanic acid)	tablets: 500 mg / 125 mg;	tab
58	Amoxicillin + Clavulanic acid)	powder for injection: 1000 mg + 200 mg	vials
59	(Ceftriaxone)	powder for solution for injection: 1 g (as sodium salt) in a vial	vials
60	(Cefotaxime)	powder for solution for injection: 1000 mg (as sodium salt) in a vial	vials
61	(Imipenem + Cilastatin)	powder for solution for injection: 500 mg (as monohydrate) + 500 mg (as sodium salt) in vials	vials
62	(Meropenem)	powder for injection / infusion: 1 g (as trihydrate)	vials
63	(Daptomycin)	powder for concentrate for solution for infusion: 500 mg	vials
64	(Daptomycin)	powder for solution for infusion: 500 mg	vials

65	(Linezolid)	solution for infusion: 2 mg / ml of 300 ml	pack
66	(Cefepime)	powder for solution for injection: 1000 mg;	vials
67	(Azithromycin)	solid oral dosage form: 500 mg	tab
68	(Azithromycin)	solution for oral use: 200 mg / 5 ml	vials
69	(Ciprofloxacin)	solution for intravenous infusion: 2 mg / ml (as hyclate)	vials
70	(Ciprofloxacin)	tablets: 500 mg (as hydrochloride)	tab
71	(Metronidazole)	injection: 500 mg per 100 ml vial	vials
72	(Vancomycin)	powder for solution for injection: 1000 mg (hydrochloride) in a vial	vials
73	(Flucytosine)	solution for infusion: 2.5 g / 250 ml	amp
74	(Protamine sulfate)	injections: 10 mg / ml (10,000 IU) in 5 ml	amp
75	Protamine sulfate)		vials
76	Glucose)	solution for injection: 5% (isotonic)	ml
77	(Glucose)	solution for injection: 40 %	ml
78	(Potassium chloride)	4%	vials
79	Potassium chloride)	7.50%	vials
80	(Suxamethonium)	50 mg (chloride) / ml 2 ml in ampoules	amp

81	Suxamethonium)	20 mg / ml 5 ml in ampoules (suxamethonium iodide) powder for solution for injection (chloride) in a vial	vials
82	(Atracurium)	10 mg / ml (besylate)	amp
83	(Vecuronium)	powder for solution for injection: 10 mg (bromide)	vials
84	(Enoxaparin)	20 mg / 0.2 ml;	ml
85	(Enoxaparin)	40 mg / 0.4 ml;	ml
86	(Enoxaparin)	100 mg / 1 ml;	ml
87	(Enoxaparin)	150 mg / 1 ml	ml
88	(Bisoprolol)	2.5 mg tablets	tab
89	(Bisoprolol)	5 mg tablets	tab
90	(Bisoprolol)	10 mg tablets	tab
91	(Metoprolol)	25 mg tablets	tab
92	(Metoprolol)	50 mg tablets	tab
93	(Metoprolol)	tablets: 100 mg	tab
94	Metoprolol tartrate	1 mg / ml 5 ml	amp
95	Phenylephrine hydrochloride	1% 1 ml	amp
96	Norepinephrine Tartrate	2 mg / ml 4 ml	amp
97	Norepinephrine Tartrate	2 mg / ml 8 ml	amp
98	(Furosemide)	tablets: 40 mg	tab
99	Amoxicillin + Clavulanic acid)	oral solution: 125 mg amoxicillin + 31.25 mg clavulanic acid / 5 ml	vials
100	(Amoxicillin + Clavulanic acid)	tablets: 250 mg / 62.5 mg;	tab
101	(Ceftriaxone)	powder for solution for injection: 250 mg (as sodium salt) in a vial	vials

102	(Ceftriaxone)	powder for solution for injection: 500 mg (as sodium salt) in a vial	vials
103	(Daptomycin)	powder for concentrate for solution for infusion: 350 mg	vials
104	(Linezolid)	powder for oral liquid: 100 mg / 5 ml	
105	(Linezolid)	tablets: 400 mg;	tab
106	(Linezolid)	tablets: 600 mg	tab
107	(Azithromycin)	solid oral dosage form: 250 mg;	tab
108	(Azithromycin)	powder for oral suspension: 100 mg / 5 ml;	
109	(Azithromycin)	powder for oral suspension: 200 mg / 5 ml;	
110	(Chloramphenicol)	solid oral dosage form: 250 mg	tab
111	(Chloramphenicol)	solid oral dosage form: 500 mg	tab
112	(Chloramphenicol)	oil suspension for injection *: 0.5 g (as sodium succinate) / ml in 2 ml ampoules	amp
113	(Chloramphenicol)	solution for oral use: 150 mg (as palmitate) / 5 ml	vials
114	(Chloramphenicol)	powder for solution for injection: 0.5 g (sodium succinate) per vial	vials
115	(Ciprofloxacin)	solution for oral use: 250 mg / 5 ml (anhydrous)	
116	Ципрофлоксацин (Ciprofloxacin)	tablets: 250 mg (as hydrochloride)	tab
117	(Erythromycin)	solid oral dosage form: 200 mg;	tab
118	(Erythromycin)	solid oral dosage form: 250 mg;	tab

119	(Erythromycin)	powder for solution for oral use:	
120	(Erythromycin)	125 mg / 5 ml (as stearate or estolate or ethyl succinate)	
121	(Metronidazole)	tablets:	tab
122	Метронідазол (Metronidazole)	solution for oral use: 200 mg (as benzoate) / 5 ml	vials
123	(Nitrofurantoin)	solution for oral use: 25 mg / 5 ml	vials
124	(Clindamycin)	capsules: 150 mg (as hydrochloride)	tab
125	(Clindamycin)	solution for oral use: 75 mg / 5 ml (palmitate)	
126	(Vancomycin)	powder for solution for injection: 250 mg (hydrochloride) in a vial	vials
127	(Vancomycin)	powder for solution for injection: 500 mg (hydrochloride) in a vial	vials
128	(Vancomycin)	lyophilisate for solution for infusion: 500 mg per vial	vials
129	(Vancomycin)	lyophilisate for solution for infusion: 1000 mg per vial	vials
130	(Flucytosine)	capsules: 250 mg	tab
131	Loratadine	10 mg	tab
132	(Amiodarone)	injections: 50 mg / ml 3 ml in ampoules	amp
133	(Verapamil)	injection: 2.5 mg (hydrochloride) / ml in 2 ml ampoules	amp

134	Aqua pro injectionibus/Water for injection)	solution for injection: 2 ml in ampoules	amp
135	Вода для ін'єкцій (Aqua pro injectionibus/Water for injection)	solution for injection: 5 ml in ampoules	amp
136	Aqua pro injectionibus/Water for injection)	solution for injection: 10 ml in ampoules	amp
137	(Activated charcoal)	solid oral dosage form: 0.25 g	tab
138	(Haloperidol)	injections: 5 mg / ml	amp
139	(Diclofenac)	injections: 25 mg / 3 ml in ampoules	amp
140	Декскетопрофену трометамол	25 mg / 2 ml	amp
141	(Drotaverine)	injections: 20 mg / ml in 2 ml ampoules	amp
142	Isosorbide dinitrate)	tablets (sublingual): 5 mg	tab
143	(Acetylsalicylic acid)	solid oral dosage form: 75 mg - 300 mg	tab
144	(Clonidine)	tablets: 0.15 mg	tab
145	(Clonidine)	solution for injection: 0.01% in 1 ml ampoules	amp
146	(Magnesium sulfate)	injections: 250 mg / ml in 5 ml	ml
147	(Metoprolol)	solution for injection: 1 mg / ml in ampoules	amp
148	(Sodium thiosulfate)	injections of 250 mg / ml of 50 ml	vials
149	Натрію тіосульфат (Sodium thiosulfate)	injections of 300 mg / ml in 5 ml ampoules	amp
150	(Sodium thiosulfate)	injections of 300 mg / ml in 10 ml ampoules	amp
151	(Oxybuprocaine)	eye drops, solution: 0.4%	vials
152	(Paracetamol)	solution for oral use:	vials

153	(Paracetamol)	suppositories:	штык
154	(Paracetamol)	solid oral dosage form:	tab
155	(Paracetamol)	solution for infusion: 10 mg / ml	amp
156	(Theophylline)	injections: 2% in ampoules	amp
157	Nitrous oxide)	gas	литетс
158	(Loperamide)	solid oral dosage form: 2 mg	tab
159	(Methylthioninium chloride/Methylene blue)	injections: 10 mg / ml in 10 ml ampoules	amp
160	(Amoxicillin + Clavulanic acid)	powder for injection: 500 mg + 100 mg	vials
161	(Piperacillin and enzyme inhibitor)	powder for injection: 2 g (as sodium salt) + 250 mg (as sodium salt)	vials
162	(Piperacillin and enzyme inhibitor)	powder for injection: 4 g (as sodium salt) + 500 mg (as sodium salt)	vials
163	(Cefotaxime)	powder for solution for injection: 250 mg (as sodium salt) in a vial	vials
164	(Cefotaxime)	powder for solution for injection: 500 mg (as sodium salt) in a vial	vials
165	(Imipenem + Cilastatin)	powder for solution for injection: 250 mg (as monohydrate) + 250 mg (as sodium salt) in vials	vials
166	(Meropenem)	powder for injection / infusion: 500 mg (as trihydrate); 1 g (as trihydrate)	vials

167	(Cefepime)	powder for solution for injection: 500 mg;	vials
168	(Cefepime)	powder for solution for injection: 2000 mg;	vials
169	(Chloramphenicol)	powder for solution for injection: 1 g (sodium succinate) in a vial	vials
170	(Gentamicin)	injections: 10 mg (as sulphate) / ml in 2 ml ampoules;	amp
171	(Gentamicin)	injections: 40 mg (as sulphate) / ml in 2 ml ampoules;	amp
172	(Erythromycin)	powder for solution for injection: 500 mg (as lactobionate) in a vial	vials
173	(Nitrofurantoin)	solid oral dosage form: 100 mg	tab
174	(Clindamycin)	injection: 150 mg (as phosphate) / ml	amp
175	(Glucose)	solution for injection: 10%	ml
176	(Glucose)	solution for injection: 50%	ml
177	(Calcium gluconate)	100 mg / ml 10 ml	amp
178	Chlorpyramine	20 mg / ml 1 ml	amp